



PROFESSIONAL AGRICULTURE

ARNO plast

The company was established in 1975 as ARNOstampi sdf. During the first years the company focused on designing and building moulds for injection moulding and blowing of plastic materials.

In 1983 the new company's name ARNOplast srl marks the first strategic layout which the company implements with the willingness to provide clients a complete service, from the designing to the finished product.


Also in the mid 1980's the company begins a limited production of accessories with its own brand name for professional agriculture targeted predominantly to Southern Italy's markets.

At the end of the 1990's, realizing the difficulties it would encounter from there on and due to subsupply, the company carried out a second strategic turning point and decided to get the best from their own innovative capacities, presenting a new range of products with their brand for agriculture and gardening; also in this period the creation of a Company dedicated exclusively to the distribution process was created, the ARNOcommerciale srl.

Today ARNOplast with head office and production plant in Rignano sull'Arno not far from Florence, together with ARNOcommerciale have acquired a position in the Italian market for the gardening agriculture systems and have commercialized their own products in all of Europe, in the Mediterranean area and in overseas countries.









ICONOGRAPHIC LEGEND





PA Polyamide

PET Polyester

PE Polythene

PP Polypropylene

PVC PVC

Video present on the site and APP





8



POST CAPS

26



CLIPS

40



CLIPS FOR NET & FILMS

48



SPRING CATCH AND TIE-RODS

54



ANCHORING, HOOKS AND NAILS

62




TIE SYSTEMS

66



FITTINGS, PET AND SPARE PARTS



POST CAP PRISMA











FEATURES

- indicated for every kind of antihail system with concrete pole
- available both with or without screws
- it semplifies the mouting operations thanks to the screws in only 4 pieces

DIMENSIONS

• dimensions: 215x115x120 mm







STANDARD

SCREWS GZ

COD.	DESCRIPTION	PACK	вох	PALLET
1807-1351	Post Cap Prisma 7x7 (no screws)	40	40	640
	, , ,			
1807-1352	Post Cap Prisma 7x8 (no screws)	40	40	640
1807-1353	Post Cap Prisma 8x8,5 (no screws)	40	40	640
1807-1355	Post Cap Prisma 9x9 (no screws)	40	40	640
1807-1357	Screws for Prisma (4pcs.)	40	200	-
1807-0751	Mon-block (with nut and blot)	32	320	
2008-0016	Special Nut M6 (optional)	32	32	-
2009-0156	Special screws 6x20 (optional)	32	32	-
2009-0182	Expansion anchor 6X30 MM	32	32	-
2009-0181	Galvanized Screw 4x40 MM	32	32	-
2003-0120	Collar 6x24 MM	32	32	-
1807-1310GZ	Screws GZ	40	200	-





FIXING OPTIONAL







(optional)





POST CAP QUBO













- available both with or without screws
- it semplifies the mouting operations thanks to the screws in only 4 pieces
- 8.8 certified screws

DIMENSIONS

• dimensions: 160x115x120 mm






STANDARD

SCREWS GZ

COD.	DESCRIPTION	PACK	вох	PALLET
1807-1301	Post Cap Qubo 7x7 (no screws)	64	64	1024
1807-1302	Post Cap Qubo 7x8 (no screws)	64	64	1024
1807-1321	Post Cap Qubo 8x8,5 (no screws)	64	64	1024
1807-1305	Post Cap Qubo 9x9 (no screws)	64	64	1024
1807-1322	Screws for Qubo (4pcs.)	64	256	-
1807-1326	Post Cap Qubo 10x12 (no screws)	45	45	720
1807-1327	Screws for Qubo10x12 (4pcs.)	45	225	-
1807-0751	Mon-block (with nut and bolt)	32	320	-
2008-0016	Special Nut M6 (optional)	32	32	-
2009-0156	Screw 6x20 (optional)	32	32	-
2009-0182	Expansion anchor 6X30 MM	32	32	-
2009-0181	Galvanized Screw 4x40 MM	32	32	-
2003-0120	Collar 6x24 MM	32	32	-
1807-1310GZ	Screws GZ	64	256	-



FIXING OPTIONAL





(optional)













POST CAP ZEPHIRO











FEATURES

- Indicated for every kind of antihail system with concrete pole
- It semplifies the mounting operations thanks to the screws in only 4 pieces
- 8.8 certified screws

DIMENSIONS

• dimensions: 216x100x105 mm







STANDARD

SCREWS GZ

COD.	DESCRIPTION	PACK	вох	PALLET
1807-1401	Post Cap Zephiro 7x7 (no screws)	32	32	768
1807-1402	Post Cap Zephiro 7X8 (no screws)	32	32	768
1807-1403	Post Cap Zephiro 8x8,5 (no screws)	32	32	768
1807-1422	Screws for Zephiro	32	320	-
1807-0751	Mon Block with nut and bolt	32	320	
2008-0016	Special Nut M6	32	32	-
2009-0156	Screw 6x20 (optional)	32	32	
2009-0182	Expansion anchor 6X30 MM	32	32	-
2009-0181	Galvanized Screw 4x40 MM	32	32	-
2003-0120	Collar 6x24 MM	32	32	-
1807-1310GZ	Screws GZ	32	320	-





FIXING OPTIONAL





(optional)



(optional)





POST CAP MONVISO









FEATURES


- indicated for every kind of hail system with concrete pole
- it semplifies the mounting operations thanks to the tab of the iron wire on the top
- it allows the mounting of the optional side protection to defend the net even later
- available both with screws for flat net and for "capannina"
- to avoid troubles when placing orders please write the name of the pole producer


DIMENSIONS


• dimensions: (7x7 - 7x8 - 8x8 - 8x8,5): 125x115x135 mm

• dimensions: (8,5x8,5 - 9x9): 150x130x140 mm

• dimensions: (10x12): 160x135x180 mm







COD.	DESCRIPTION	PACK	вох	PALLET
1807-0727	Post Cap Monviso 7x7 (no screws)	64	64	1024
1807-0728	Post Cap Monviso 7x8 (no screws)	64	64	1024
1807-0732	Post Cap Monviso 8x8 (no screws)	64	64	1024
1807-0731	Post Cap Monviso 8x8,5 (no screws)	64	64	1024
1807-0734	Post Cap Monviso 8,5x8,5 (no screws)	32	32	512
1807-0733	Post Cap Monviso 9x9 (no screws)	32	32	512
1807-0736	Post Cap Monviso 10x12 (no screws)	16	16	384
1807-0751	Mon-block (with nut and bolt)	32	320	-
1807-0709	Protection for the Monviso (1pcs)	256	256	6144
1807-0744	Double screws for Monviso/Reno/FG (10pcs)	32	128	-
1807-0730	Capannina screws for Monviso (4pcs)	32	320	-
2008-0016	Special Nut M6 (opt.)	32	32	-
2009-0156	Special screws 6x20 (opt.)	32	32	-
2009-0182	Expansion anchor 6X30 MM	32	32	-
2009-0181	Galvanized Screw 4x40 MM	32	32	-
2003-0120	Collar 6x24 MM	32	32	-







FIXING OPTIONAL








(optional)





POST CAP TESTATA





FEATURES

- indicated for every kind of antihail system with concrete pole
- available both with or without screws


DIMENSIONS


• dimensions: 192x189x200 mm






(COD.	DESCRIPTION	PACK	вох	PALLET
180	7-0740 Post C	Cap 14x14 (no screws)	8	8	192
180	7-0741 Screw	s (3pcs.)	8	8	4800











POST CAP LATINA










FEATURES


- Indicated for 32 mm arch covering systems
- it simplifies the mounting operations and system maintenance
- Available for concrete poles size 7x7 and 7x8
- Patented

DIMENSIONS

• Dimensions: 116x126x155mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-1502C	Post Cap Latina with screws (7x7 -7X8)	30	30	720
1808-1516	Reduction x Cap Latina and Latina Omega 25 mm	30	30	720
1808-1511	Reduction x Cap Latina and Latina Omega 28 mm	30	30	720
1808-0751	Mon block (with nut and bolt)	30	30	720










reduction LATINA 28mm

POST CAP SPHERA









- It simplifies the mounting operations and system maintenance
- Available for concrete poles size 8x8 and 9x9
- It reduces the wind stresses thanks to its fixing system through a floating sphere
- Patented

DIMENSIONS


• Dimensions: 121x121x185mm


COD.	DESCRIPTION	PACK	вох	PALLET
1807-1501C	Cap Sphera with screws (8x8 and 9x9)	24	24	576
1807-0751	Mon block (with nut and bolt)	32	320	-













POST CAP LATINA OMEGA





FEATURES

- Indicated for arch shaped systems from 32mm to 25 mm
- it simplifies the mounting operations and system maintenance
- Available for iron posts from 50 mm to 80 mm
- Patented

DIMENSIONS

• Dimensions: 107x125x159mm


COD.	DESCRIPTION	PACK	вох	PALLET
1807-1515C	Cap Latina-Omega with screws (post 50/80)	30	30	720
1807-1516	Reduction x Cap Latina and Latina Omega 25 mm	250	250	6000
1807-1511	Reduction x Cap Latina and Latina Omega 28 mm	400	400	9600
1807-0751	Mon block (with nut and bolt)	32	320	32000




LATINA reduction 25mm



LATINA reduction 28mm









POST CAP ECO 5x5 - 6x6






FEATURES


- Ideal for systems with concrete pole, pressure mounting
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

- Dimensions (5x5): 87x100 mm
- Dimensions (6x6): 87x100 mm


COD.	DESCRIPTION	PACK	вох	PALLET
1807-0312	Post Cap 5x5 ECO (black)	-	150	2400
1807-0312GR	Post Cap 5x5 ECO (gray)	-	150	2400
1807-0308	Post Cap 6x6 ECO (black)	-	150	2400
1807-0308GR	Post Cap 6x6 ECO (gray)	-	150	2400











FEATURES


- Ideal for systems with concrete pole, pressure mounting
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress


DIMENSIONS

- Dimensions (7x7): 83x99mm
- Dimensions (9x9): 102x92mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0311	Post Cap 7x7 ECO (black)	-	120	1920
1807-0310	Post Cap 9x9 ECO (black)	-	80	1280
1807-0311GR	Post Cap 7x7 ECO (gray)	-	120	1920
1807-0310GR	Post Cap 9x9 ECO (gray)	-	80	1280











POST CAP FIX





FEATURES

- Ideal for systems with concrete pole, pressure mounting and then tighten the clamp at the bottom side of the cap.
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress


DIMENSIONS


• Dimensions (6x6): 99x100 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1807-0320	Post Cap Fix 6x6 (black)	-	135	2160
1807-0320GR	Post Cap Fix 6x6 (gray)	-	135	2160









POST CAP AER





- Ideal for systems with concrete pole, pressure mounting
- It semplifies the mounting operations as it does not need ties. The wings on the top hold wires in different diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS


• Dimensions (6x6): 99x87x95mm


78			
		1	





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0307	Post Cap 6x6 AER (black)	-	150	2400
1807-0307GR	Post Cap 6x6 AER (grey)	-	150	2400








ANGULAR CAP FOR LARGE POSTS






FEATURES


- Ideal for systems with perimetral large posts
- It could be fastened on the post with pvc tube or iron wire
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

• Dimensions: 73x139x142 mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1807-0203	Angular Cap		120	2880







POST CAP RENO 10X10






FEATURES

- Ideal for systems with concrete posts, pressure mounting
- It simplifies the mounting operations thanks to the screws for the locking on the top longitudinal wires in various diameters.
- It does not alter the net links
- High resistance to weather distress

DIMENSIONS

• Dimensions: 130x180 mm



COD.	DESCRIPTION	PACK	вох	PALLET
1807-0908	Post Cap Reno 10x10	32	120	512



POST CAP RENO










- indicated for flat hail systems with wooden pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top longitudinal wire
- available both with screws for flat net and for "capannina" (single screw)
- it does not alter the net links
- 8,8 certified screws

DIMENSIONS


- Dimensions (10-12 cm): 130x180 mm
- Dimensions (14-16 cm): 180x220 mm







COD.	DESCRIPTION	PACK	вох	PALLET
1807-0903	Post Cap Reno Ø 10cm	32	32	512
1807-0901	Post Cap Reno Ø 12cm	32	32	512
1807-0906	Post Cap Reno Ø 14cm	16	16	256
1807-0904	Post Cap Reno Ø 16cm	32	32	512
1807-0744	Double screws (10pcs.)	32	128	-
1807-0730	Capannina screws (4pcs.)	32	320	-





POST CAP 4 AND 12 CM WITH CROSS





FEATURES

- indicated with every kind of hail system with wooden pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire
- it does not alter the net links of the top

DIMENSIONS


• Dimensions: 125x130 mm








COD.	DESCRIPTION	PACK	вох	PALLET
1807-0512	Post Cap Ø 12cm	200	200	3200
1807-0601	Screws for Post Cap with cross	200	200	6000
1807-0504	Post Cap Ø 4cm with cross (no screw)	500	500	12000







ROUND POST CAP





FEATURES

- ideal for systems with wooden pole
- it does not alter the net links
- high resistance to weather distress


DIMENSIONS

• Dimensions: from 60mm to 160mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0106	Post Cap Ø 6cm (black)	-	1000	16000
1807-0108	Post Cap Ø 8cm (black)	-	700	11200
1807-0110	Post Cap Ø 10cm (black)	-	500	8000
1807-0112	Post Cap Ø 12cm (black)	-	300	4800
1807-0114	Post Cap Ø 14cm (black)	-	250	4000
1807-0116	Post Cap Ø 16cm (black)	-	200	3200
1807-0108GR	Post Cap Round Ø 8cm (grey)	-	700	11200
1807-0110GR	Post Cap Round Ø 10cm (grey)	-	500	8000
1807-0112GR	Post Cap Round. Ø 12cm (grey)	-	300	4800
1807-0114GR	Post Cap Round Ø 14cm (grey)	-	250	4000





UNIVERSAL POST CAP





FEATURES

- indicated for every kind of hail system with wooden pole or recovery pole
- it simplifies the mounting operation thanks to its adaptability to
- different pole diameters
- it does not alter the net links


DIMENSIONS

- Dimensions (6-10 cm): 120x110 mm
- Dimensions (18-21 cm): 220x180 mm





COD.	DESCRIPTION	PACK	вох	PALLET
1807-0201	Universal Post Cap Ø 6/10cm	500	500	8000
1807-0202	Universal Post Cap Ø 18/21cm	50	50	800





POST CAP FG 40-50-60-65-80









FEATURES


- indicated for the systems with iron pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top and the transverse wire
- available both with screws for flat net and for "capannina"
- it does not alter the net links
- 8 certified screws


DIMENSIONS

• Dimensions: 100x120 mm










COD.	DESCRIPTION	PACK	вох	PALLET
1807-1103	Post Cap FG40	64	64	1536
1807-1108	Post Cap FG50/80	64	64	1536
1807-1105	Post Cap FG60	64	64	1536
1807-1107	Post Cap FG65	64	64	1536
1807-0744	Double screws (10pcs.)	32	128	-
1807-0730	Capannina screws (4pcs.)	32	320	-



POST CAP CHAMPIGNON AND TERMINAL BOARD







FEATURES

- indicated for the systems with iron pole
- it simplifies the mounting operation thanks to the screws for the locking of the iron wire on the top and the transverse
- available both with screws for flat net and for "capannina"
- it does not alter the net links
- 8 certified screws


DIMENSIONS

- Dimensions (cp): 120x70x38 mm
- Dimensions (base): 120x70 mm 193x160mm












C	COD.	DESCRIPTION	PACK	вох	PALLET
180	7-1001	Post Cap Champignon	200	200	4800
180	7-1002	Terminal board for Metal Pole 100	200	200	3200
180	7-1005	Terminal board for Metal Pole 180	50	50	800





Post Cap Champignon





Sideburn for Metal Pole 100





Sideburn for Metal Pole 180







ROMA CLIP







FEATURES


- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces


DIMENSIONS

• Dimensions: 83x40 mm



COD.	DESCRIPTION	PACK	вох	PALLET
1702-1101 Clip Ro	ma	200	200	4800





RANIA CLIP







FEATURES


- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

• Dimensions: 92x66mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1702-1102	Clip Rania	150	150	3600








RIVA - RIVA JR. CLIP














- perfect for the sewing of the central row
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

• Dimensions: 54x33 mm / 74x40 mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1702-0901 Clip Riva		200	200	4800
1702-1001 Clip Riva	JR.	400	400	9600





NEW RIVA CLIP





FEATURES


- perfect for the sewing of the central row (flat)
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- composed by 4 pieces

DIMENSIONS

• dimensioni:92x66 mm

COD.	DESCRIZIONE	CONF.	IMB.	PALLET
1702-0904 Placchetta New Riva		200	200	4800







RESIA CLIP







FEATURES


- perfect for the sewing of the central row
- high resistance to weather distress
- it can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces

DIMENSIONS

• Dimensions: 100x40 mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1702-0103	Clip Resia	200	200	4800





NEW RESIA CLIP





FEATURES


- perfect for the sewing of the central row
- high resistance to weather distress
- It can get a pressure fixing on the net
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces

DIMENSIONS

• Dimensions: 100x40 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0105 Clip New Resia		150	150	3600





START CLIP









FEATURES


- ideal for tensioning the net at the beginning and the end of the row
- high resistance to weather distress
- 4 special screws included in the Box
- it can be open by a single hand
- reopenable
- high breaking load
- composed by 4 pieces


DIMENSIONS

• Dimensions: 108x84mm



COD.		DESCRIPTION	PAC	к вох	PALLET
1702-1201	Clip Start		50	50	2400
1902-0531	Asola 30		50	50	2400







ROLLE CLIP





FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points

DIMENSIONS

• Dimensions: 110x11 mm (ROLLE)

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1702-0801 Clip Rolle		400	2000	32000





NEW ROLLE CLIP






FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points

DIMENSIONS

• Dimensions: 95x100 mm (NEW ROLLE)

	COD.	DESCRIPTION	PACK	ВОХ	PALLET
1702-0809 Clip New Rolle		Clip New Rolle	250	750	18000





ROLLE 2 CLIP





FEATURES


- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points
- extendable by tools, it can be recovered by tools
- with tool

DIMENSIONS

• Dimensions: 100x21 mm


COD.	DESCRIPTION	PACK	вох	PALLET
1702-0802 Clip Rolle 2		200	800	12800





AGROPETTINE CLIP CLIP





FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress
- high mounting speed thanks to the click points


DIMENSIONS


• Dimensions: 86x14 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0407 Clip Agropettine		2000	2000	32000











SEWING NAIL CLIP





FEATURES

- perfect for the sewing of the net on the iron wire on the top
- high resistance to weather distress

DIMENSIONS


• Dimensions: 110x11 mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1705-0315 Ne	edle sew in galvanized iron	2000	2000	100000
1705-0201 Nee	edle sew extra in PA-FV	250	6000	144000



NIÑA CLIP





FEATURES


- perfect to stretch the net with elastic and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- high mounting speed thanks to the click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 78x45 mm


COD.	DESCRIPTION	PACK	вох	PALLET
1702-0505 Clip Niña		250	1000	24000





12 POINTS AND MEGA CLIP






FEATURES

- perfect to stretch the net with elastic and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- perfect for all types of net

DIMENSIONS

Dimensions: 138x57mmDimensions: 110x35mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1702-0402	Clip 12 points	250	1500	24000
1702-0408	Clip MEGA	100	400	6400



MAGNUM CLIP





FEATURES


- perfect to stretch the net with elastic, for windbreak systems and shadows
- high resistance to weather distress
- it can have a pressure fixing on the net
- high mounting speed thanks to the click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 113x45 mm

	COD.	DESCRIPTION	PACK	вох	PALLET
1702-0501 Clip Magnum PA		200	800	12800	








ANCORPLACK CLIP





FEATURES


- perfect for windbreak and shadow nets
- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to 2 click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 50x45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0201 Clip Ancorplack		500	2500	40000





ANCORPLACK 2 CLIP





FEATURES


- perfect for wind break and shadow nets
- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to click points
- perfect for all types of net

DIMENSIONS

• Dimensions: 130x42 mm


	COD.	DESCRIPTION	PACK	вох	PALLET
1702-0204 Clip Ancorplack 2		100	400	9600	





2 POINTS CLIP





FEATURES


- high resistance to weather distress
- it can have a pressure fixing thanks to 2 click points
- perfect for all types of net


DIMENSIONS

• Dimensions: 53x45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0301	2 points clip (black)	500	3000	48000
1702-0302	2 points clip (green)	500	3000	48000








K4 - K10 CLIP









- high resistance to weather distress
- it can be anchored directly on the wire thanks to the hook located on the upper side
- it can be fixed directly on the pressure net thanks to 4 click points
- perfect for all types of net


DIMENSIONS

- Dimensions: 53x55mm (K4)
- Dimensions: 63x70mm (K10)

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0210	Clip K4	250	1000	24000
1702-0211	Clip K10 + hook without security flap	500	500	12000
1702-0212	Clip k10 + hook with security flap	500	500	12000









CLIPS

H CLIP






CARATTERISTICHE

• Ideal for anti-insect, shades/privacy systems

DIMENSIONS

• Dimensions: 55x34 mm - hole 11 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0507 Clip H		250	1000	24000



RING CLIP





FEATURES


- It protects the net from wearing and tearing
- It can have a pressure fixing on the net
- Perfect for all types of net
- Perfect for antifrost and irrigation systems

DIMENSIONS

• Dimensions: 110 mm - hole 45 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1702-0701 Ring clip		150	750	12000





FILM.NET JOINER CLIP






FEATURES


- perfect for matching, linking and fixing nets
- high resistance to weather distress
- it can have a pressure fixing
- it perfectly connects 2 overlapped nets
- perfect for all kinds of net


DIMENSIONS

• Dimensions: 82x27 mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1702-0602 Filn	n.Net joiner clip	500	3000	48000







ANCORA.NET










- perfect for the winter closing of nets
- high mounting speed
- practical and cheap
- when opening the nets you do not have to remove any element of the system

DIMENSIONS

- Dimensions: 500 mm (tie rodhook)
- dimesions: 37x39 (hook)





COD.	DESCRIPTION	PACK	вох	PALLET
1802-0403	Ancora.NET 50 (A+B)	250	750	18000
1802-0401	Tie Rodhook Net (A)	250	1250	30000
1802-0402	Hook Net (B)	250	2250	54000



Hook NET (B)

NEW STOP.NET








FEATURES


- perfect for the winter closing and sewing of nets
- high mounting speed thanks to 6 points
- when opening the nets you do not have to remove any element of the system

DIMENSIONS

• Dimensions: 100x14 mm

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0413	Stop.NET.NEW (A+H)	250	750	12000
1802-0401	Tie Rodhook Net (A)	250	1250	30000
1702-0811	Rolle.NET.NEW (H)	250	1250	16000





STOP.NET







- perfect for the winter closing and sewing of nets
- high mounting speed thanks to 6 points
- when opening the nets you do not have to remove any element of the system

DIMENSIONS


• Dimensions: 104x21 mm


þ	
and h	

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0407	Stop.NET 2	250	500	8000
1802-0401	Tie Rodhook Net (A)	250	1250	30000
1702-0806	Rolle2 NET	250	750	12000

Rolle NET (H)









FEATURES


- perfect for anchoring wired caps and plastic film, particularly indicated for antirain systems
- high resistance to weather distress
- reopenable
- easy to install


DIMENSIONS

• Dimensions: 38x34mm - 48x34mm - 77x48mm

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0115 Ova	l Carabiner 30mm	2500	2500	120000
1803-0114 Ova	l Carabiner 40mm STANDARD	2000	2000	96000
1803-0111 Ova	l Carabiner 75mm	500	3000	72000







MORSA 100





FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
- high resistance to weather distress
- perfect for all type of nets and films
- 2 special self-tapping screws included in the Box


DIMENSIONS


• Dimensions: 104x41mm - 100x35mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1701-0310	CLIP MORSA 100 for the top + 2 screws	125	125	6000
1701-0313	CLIP MORSA 100 with eyelet + 2 screws	250	250	6000
1701-0315	CLIP MORSA 100 TRX + 2 SCREWS	250	250	6000
1701-0316	CLIP MORSA 100 Hook + sec. Flap + 2 screws	250	250	6000

MORSA 100 FOR THE TOP










MORSA 100 TRX

100









CLIPS MORSA 70











- $\bullet \ \ \mathsf{perfect} \ \mathsf{for} \ \mathsf{anchoring} \ \mathsf{nets} \ \mathsf{and} \ \mathsf{plastic} \ \mathsf{film}, \mathsf{particularly} \ \mathsf{indicated} \ \mathsf{for} \ \mathsf{anti} \ \mathsf{rain} \ \mathsf{system}$
- high resistance to weather distress
- it can be anchored directly to the wire or the BUNGEE
- special self-tapping screw included in the Box
- perfect for all types of films of any thickness

DIMENSIONS

• Dimensions: 70x40mm







COD.	DESCRIPTION	PACK	вох	PALLET
1701-0303	CLIP MORSA 70 WITH HOOK WITH SECURITY FLAP + SCREW	500	500	12000
1701-0304	CLIP MORSA 70 WITH HOOK WITHOUT SECURITY FLAP + SCREW	500	500	12000
1701-0302	CLIP MORSA 70 WITH EYELET + SCREW	500	500	12000





1701-0304

1701-0303



CLIPS MORSA 50








- perfect for anchoring nets and plastic film, particularly indicated for anti rain system
- high resistance to weather distress
- it can be anchored directly to the wire or the BUNGEE
- Special self tapping screw included in the box
- perfect for all types of films of any thickness


DIMENSIONS

• Dimensions: 50x29mm



50	
	29
	\

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0307	CLIP MORSA 50 with hook without security flap + screw	250	750	18000
1701-0308	CLIP MORSA 50 with hook with security flap + screw	250	750	18000









1701-0308



STOP.FILM 70








FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for rain systems
- high resistance to weather distress
- special self-tapping screw included in the Box

DIMENSIONS

• Dimensions: 70x40mm



COD.	DESCRIPTION	PACK	вох	PALLET
1802-0409	STOP.FILM70 (A+L)	250	250	6000
1802-0401	TIES-ROD NET (A)	250	1250	30000
1701-0314	CLIP MORSA 70 FOR TIES-RODS + SCREW (L)	250	500	12000















STOP.FILM 50












FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for rain systems
- high resistance to weather distress
- special self-tapping screw included in the Box

DIMENSIONS

• Dimensions: 50x27mm



COD.	DESCRIPTION	PACK	вох	PALLET
1802-0408	STOP.FILM50 (A+I)	250	500	12000
1802-0401	TIES-ROD NET (A)	250	1250	30000
1701-0306	CLIP MORSA 50 FOR TIES-RODS + SCREW (I)	250	1250	30000















CLIPS MORSA 40







FEATURES


- perfect for anchoring nets and plastic film, particularly indicated for rain systems
- high resistance to weather distress
- It can be easily tensioned thanks to the top loop
- Special self tapping screw included in the box
- Perfect for all types of films of any thickness

DIMENSIONS

• Dimensions: 27x42mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1701-0301	CLIP MORSA 40 + screw	500	2000	48000





OMEGA PLIER





FEATURES


- perfect for anchoring nets and plastic films on a wire
- high resistance to weather distress
- fast and trigger mounting
- recoverable
- suitable for wires from 2.5mm to 4.0mm




DIMENSIONS

• Dimensions: 43x36mm (OMEGA)

COD.	DESCRIPTION	PACK	вох	PALLET
1701-0202 OM	IEGA PLIER (WHITE)	500	2000	48000







SAFETY BAND 70






FEATURES


- Perfect for anchoring nets and plastic films on a wire
- Perfect for 3,5-7 mm wires
- High resistance to weather distress
- Reopenable

DIMENSIONS

• Dimensions: 44x70mm









SAFETY BAND 50






- Perfect for anchoring nets and plastic films on a wire
- Perfect for 3-6 mm wires
- High resistance to weather distress
- Reopenable

DIMENSIONS

• Dimensions: 40x50mm







COD.	DESCRIPTION	PACK	вох	PALLET
1701-0103	SAFETY BAND 50	250	1000	24000

BUTTERFLY HOOK






FEATURES

- perfect for anchoring nets and plastic film, particularly indicated for rain
- Ideal for tensioning nets in center row
- high resistance to weather distress

DIMENSIONS


• Dimensions: 132x45mm





COD.	DESCRIPTION	PACK	вох	PALLET
1804-0502 BU	JTTERFLY HOOK	500	500	24000





SELF LOCKING SPRING CATCH











FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- it locks the BUNGEE without a knot

DIMENSIONS

• Dimensions: 27x65mm



COD.	DESCRIPTION	PACK	вох	PALLET
1803-0104	SELF LOCKING SPRING CATCH	500	2000	48000

SELF LOCKING SPRING CATCH ELEPHANT









- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- hook with push bolt for a high security
- it locks the BUNGEE without a knot



TO OPEN PRESS AND TURN LEFT OR RIGHT



DIMENSIONS

• Dimensions: 27x65mm



MOUNTING



PREMOUNTING SPRING CATCH







FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable

DIMENSIONS

• Dimensions: 30x64mm





31

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0105	PREMOUNTING SPRING CATCH	500	2500	60000

PREMOUNTING SPRING CATCH ELEPHANT







FEATURES

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- extreme resistance to traction
- recoverable
- hook with push bolt for a high security

DIMENSIONS

• Dimensions: 31x65mm





TO OPEN PRESS AND TURN LEFT OR RIGHT

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0106 Pi	remounting spring catch elephant	500	2000	48000

STANDARD - METALLICO - RAPID HOOK







28










FEATURES STANDARD

- perfect for anchoring film and nets with eyelets or clips
- perfect for 4-6mm ropes
- high resistance to weather distress
- recoverable
- Dimensions: 23x51mm

FEATURES METALLIC

- perfect for anchoring film and nets with eyelets or clips
- perfect for 6-10mm ropes
- high resistance to weather distress
- recoverable
- Dimensions: 28x62mm



3

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0202	STANDARD SPRING CATCH	500	4000	96000
1803-0107	METALLIC GALVANIC SPRING CATCH	500	2500	48000
1803-0121	RAPID SPRING	500	2500	60000



BUNGEE 8MM PET-PP





FEATURES

- Perfect for stretching film and nets
- "long life" 8mm elastic black rope
- Covering of the natural inner rubber with PET
- Perfect if supplied together with self locking spring catch
- Traceability of the product age thanks to the colored pilot light

2025	
2026	
2027	
2028	
2029	

The colour indicator changes yearly showing the period of production.

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0201	Bungee 8MM - PET	вов.	200MT	60
1902-1601	Bungee 8MM - ECOGREEN	BOB.	200MT	60

PREMOUNTED ELASTIC







- Bungee 8 mm black
- All the sizes available upon request
- Supplied with plastic or metallic spring catch

COD.	DESCRIPTION	PACK	вох	PALLET
1902-02	PRE-MOUNTED ELASTIC WITH 2 SPRING CATCH (DIFFERENT SIZES UPON REQUEST)	-	100	2400
2025				
2026				
2027	The colour indicator changes yearly sho	wing the		
2028	period of production.			
2029				



BALL WITH ELASTIC







FEATURES

- Perfect for the winter closing of the nets
- practical and cheap

DIMENSIONS

- Dimensions: 200 250 350mm
- Dimensions (ball): Ø 29mm





COD.	DESCRIPTION	PACK	вох
1902-0502	BALL WITH ELASTIC 20CM	-	500
1902-0503	BALL WITH ELASTIC 30CM	-	500
1902-0508	BALL WITH ELASTIC 35CM	-	500
1802-0502	BALL FOR ELASTIC	500	3000



АМО НООК






FEATURES

- perfect for anchoring "ground cover" and eyelet plastic films
- indicated for anti rain system
- high resistance to weather distress
- extreme resistance to traction

DIMENSIONS

• Dimensions: 78x38mm







COD.	DESCRIPTION	PACK	вох	PALLET
1804-0406	AMO HOOK	500	3000	72000
1804-0411	AMO HOOK S	1500	1500	36000

ROPE PET






FEATURES

- Perfect for all type of anchoring
- Realized in braided PET
- rope clip, avoids having to tie knots

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0402	Rope PET 3,5MM	BOB.	500MT	96
1902-0403	Rope PET 5,0MM	вов.	200MT	60

FIXING CLIP








FEATURES

• Avoid making knots on the rope

DIMENSIONS


• Dimensions: 54x21mm



COD.	DESCRIPTION	PACK	ВОХ	PALLET
1701-0401 Fixing Clip+Screw		9000	2000	48000

SPIDER





FEATURES

- Ideal for anti-rain systems
- SPIDER: composed by: 4 Elefant spring catch, 2 pieces of 8 mm Pet Bungee and 1 metal ring
- SPIDER SPECIAL: composed by: 4 Elefant spring catch, 2 pieces of 8 mm Pet Bungee, 1 metal ring 50 mm, 1 metallic spring catch and 2 M of cord size 5mm.

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0804	ACCESSORY "SPIDER120"	-	50	-
1902-0805	ACCESSORY "SPIDER150"	-	50	-
1902-0806	ACCESSORY "SPIDER120" SPECIAL*	-	50	-
1902-0807	ACCESSORY "SPIDER150" SPECIAL*	-	50	-
1902-0812	ACCESSORY "SPIDER120" - ECOGREEN	-	50	-
1902-0813	ACCESSORY "SPIDER150" - ECOGREEN	-	50	-
1902-0814	ACCESSORY "SPIDER120" SPECIAL - ECOGREEN	-	50	-
1902-0810	ACCESSORY "SPIDER120" SPECIAL - ECOGREEN	-	50	-

ANCORA.30





FEATURES

• Adjustable PVC tie rod with SNAP HOOK

DIMENSIONS

• Dimensions: 27x300mm

COD.	DESCRIPTION	PACK	вох	PALLET
1803-0109	SPRING CATCH SELF-LOCKING FOR ROPE 30CM	500	2000	48000
1803-0113	SPRING CATCH ELEPH. SELF-LOCKING FOR ROPE 30CM	500	2000	48000
1802-0203	ROPE 30CM PVC (GREY)	500	2000	48000














- Ideal for table grape systems
- Fast fixing on protective covers
- It does not alter net or cover
- high resistance to weather distress

DIMENSIONS

- Dimensions: 36x19mm
- tie rod size: 310mm

COD.	DESCRIPTION	PACK	вох	PALLET
1802-0410	Colibri PVC chain	250	2000	48000
1802-0411	Colibri Hook	250	4000	96000
1802-0410	Colibri complete (hook+chain)	250	1500	36000







SUPPORT BAR 165





FEATURES

- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire


DIMENSIONS

• Dimensions: 163x22mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0301	SUPPORT BAR 165 MM*	250	750	18000

* U-metallic not included





SUPPORT BAR 300





- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire

DIMENSIONS

• Dimensions: 300x22mm




	0	
	300	

COD.	DESCRIPTION	PACK	BOX	PALLET
1805-0308	SUPPORT BAR 300 MM*	300	300	14400

SUPPORT BAR 500





FEATURES

- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire


* U-metallic not included

DIMENSIONS

• Dimensions: 500x22mm



COD.	DESCRIPTION	PACK	ВОХ	PALLET
1805-0309	SUPPORT BAR 500 MM*	150	150	7200





SINGLE HOOK





FEATURES

- perfect for the anchoring of a wire on a wooden or concrete pole
- to be anchored on the post through a screw or a metallic wire

DIMENSIONS

• Dimensions: 40x10mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0101	SINGLE HOOK*	1000	10000	240000
	* screw not included	11		<u>)</u>

DOUBLE HOOK





FEATURES

- perfect for the anchoring of a wire on a wooden or concrete pole
- to be anchored on the pole through a screw or a metallic wire
- supplied with double post to hold the wire in case of slope changing

DIMENSIONS

• Dimensions: 57x19mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0201	DOUBLE HOOK*	1000	5000	120000
	* screw not included	57	14	19

SUPPORT BAR 75





* screw+nut not included




FEATURES

- perfect for the anchoring of 2 wires on a wooden or concrete pole
- to be anchored on the post through a screw or a bolt

DIMENSIONS

• Dimensions: 84x20mm

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0302	SUPPORT BAR 75 MM*	250	3000	72000








ENOKIT





FEATURES

- Ideal for antihail systems on espalier vineyard
- Composed by 6 elephant self locking spring catches and 3 pieces of 8 mm elastic, 60 cm long

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0821 ENOKIT		-	50	1200

ENOLEGO






FEATURES

- Ideal for antihail systems on espalier vineyard
- Length 24CM

COD.	DESCRIPTION	PACK	вох	PALLET
1902-0822 ENOLEGO		500	2000	48000
	244			



CROSS-STOP





FEATURES

- perfect for anchoring caps and nets on a tubular
- perfect for greenhouses
- high resistance to weather distress
- screw mounting; recoverable

DIMENSIONS


• Dimensions: 22x25mm - 30x35mm - 40x40mm

COD.	DESCRIPTION	PACK	вох	PALLET
1806-0121	Cross Stop for wire 1,5-2,5MM	1000	2000	48000
1806-0130	Cross Stop for wire 2,5-4,0MM	100	1000	24000
1806-0140	Cross Stop for wire 4,0-10MM	250	500	12000
1806-0221	Cross Stop for wire 1,5-2,5MM sliding	1000	2000	48000
1806-0230	Cross Stop for wire 2,5-4,0MM sliding	100	1000	24000



CLIPS FOR IRRIGATION PIPE





FEATURES

- perfect for anchoring the dropping wing on the tutor wire
- perfect for vineyard and groves
- high resistance to weather distress
- trigger mounting
- recoverable

COD.	DESCRIPTION	PACK	вох	PALLET
1704-0216	CLIP FOR IRRIG. PIPE 16MM	250	3000	72000
1704-0220	CLIP FOR IRRIG. PIPE 20MM	250	2500	60000
1704-0225	CLIP FOR IRRIG. PIPE 25MM	250	1500	36000
1704-0232	CLIP FOR IRRIG. PIPE 32MM	250	1250	30000

HOOK FOR IRRIGATION PIPE





FEATURES

- perfect for anchoring the dropping wing on the tutor wire
- perfect for vineyard and groves
- high resistance to weather distress
- trigger mounting
- recoverable
- a drop break profile is in the down side

DIMENSIONS

• height: 50, 58, 90, 115mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0303	SHORT HOOK FOR IRRIGATION PIPE 16MM	500	5000	120000
1804-0304	SHORT HOOK FOR IRRIGATION PIPE 20MM	500	4000	96000
1804-0306	SHORT HOOK FOR IRRIGATION PIPE 25MM	500	3500	84000
1804-0307	SHORT HOOK FOR IRRIGATION PIPE 32MM	500	2500	60000
1804-0301	LONG HOOK FOR IRRIGATION PIPE 16MM	500	3000	72000
1804-0302	LONG HOOK FOR IRRIGATION PIPE 20MM	500	2500	60000

DOUBLE HOOK





FEATURES

- perfect for anchoring the drooping wing on the ground
- perfect for vineyards and orchard
- high resistance to weather distress
- $\bullet\,$ one model for 16 and 20MM wing

DIMENSIONS

• Dimensions: 170x20mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1804-0401 DO	DUBLE HOOK FOR IRRIG. 16-20MM	250	500	24000



REVERSE HOOK IN PVC





FEATURES

- indicated for stretching 2 wind break nets
- high resistance to weather distress
- used in the tent for grape

DIMENSIONS

• Dimensions: 50x11mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0501	REVERSE HOOK IN PVC	1000	10000	240000

REVERSE HOOK AND REVERSE HOOK XL





FEATURES

- indicated for stretching 2 windbreak nets
- high resistance to weather distress
- used in the tent for grape



Dimensions: 50x11mmDimensions: 58x15mm



COD.	DESCRIPTION	PACK	ВОХ	PALLET
1804-0601	IRON REVERSE HOOK	-	1000	100000
1804-0602	IRON REVERSE HOOK XL	-	1000	100000

CLIPS FOR GREENHOUSES





FEATURES

- clips for anchoring the film on the tubular for greenhouses
- material: PVC printed
- boxaging: Pack
- high resistance to weather distress

COD.	DESCRIPTION	PACK	вох	PALLET
1704-0115	CLIPS FOR GREENHOUSES Ø 15MM	250	3500	84000
1704-0120	CLIPS FOR GREENHOUSES Ø 20MM	250	3000	72000
1704-0125	CLIPS FOR GREENHOUSES Ø 25MM	250	2500	60000
1704-0130	CLIPS FOR GREENHOUSES Ø 30MM	250	2000	48000
1704-0135	CLIPS FOR GREENHOUSES Ø 35MM	250	1500	36000
1704-0140	CLIPS FOR GREENHOUSES Ø 40MM	250	1000	24000



СНООК







FEATURES

- indicated for anchoring 1 or 2 nets
- used in vineyard to keep 2 wires near
- high resistance to weather distress

DIMENSIONS

• Dimensions: 15x55mm - 20x120mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0102	C HOOK WITH TAIL	1000	10000	240000
1804-0104	C HOOK WITHOUT TAIL	1000	10000	240000
1804-0105	C HOOK NO TAIL XL	500	4000	96000

SEWING NAIL





- indicated for the net sewing olive harvest
- high resistance to weather distress
- recoverable

DIMENSIONS

• Dimensions: 110mm

COD.	DESCRIPTION	PACK	BOX	PALLET
1705-0202	SEWING NAIL BLACK	250	7500	180000
1705-0203	SEWING NAIL YELLOW	250	7500	180000



NAIL STOP NET







FEATURES

- indicated for the land fixing of caps and nets
- high resistance to weather distress
- hammering
- recoverable

DIMENSIONS

• Dimensions: 110, 150, 200mm

• head diameter: 22, 45mm

COD.	DESCRIPTION	PACK	вох	PALLET
1705-0101	NAIL WITH TONGUES 11CM	200	3000	72000
1705-0106	NAIL 15CM	100	700	16800
1705-0104	NAIL 20CM	100	500	12000
1705-0402	NAIL STOP T. BOMB - 15 CM	100	700	1800
1705-0401	NAIL STOP T. BOMB - 20 CM	100	500	12000



S HOOK VIGNOLA - S IRON HOOK





FEATURES

- indicated for anchoring 1 or 2 nets
- high resistance to weather distress

DIMENSIONS

- Dimensions: 23x46mm (VIGNOLA)
- Dimensions: 24x50mm (IRON)

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0409	HOOK "VIGNOLA"	1000	8000	192000
1804-0205	S IRON HOOK	1000	1000	100000



HOOK FOR EYELET - S HOOK





FEATURES

- indicated for anchoring the drilled and/or eyelet cap to a wire
- high resistance to weather distress

DIMENSIONS

- Dimensions: 19x39mm
- Dimensions: 22x40mm

COD.	DESCRIPTION	PACK	вох	PALLET
1804-0402	HOOK FOR EYELET - LARGE	1000	8000	192000
1804-0403	HOOK FOR EYELET - SMALL	1000	8000	192000
1804-0202	S HOOK	1000	10000	240000

ANTI TEAR WASHER





FEATURES


• indicated for fixing nets and films through a screw

DIMENSIONS

• Dimensions: Ø 22mm


COD.	DESCRIPTION	PACK	вох	PALLET
1703-0102 PV	C ANTI TEAR WASHER		1000	24000





BAND LEGO





FEATURES

- indicated for anchoring a plant to a tutor
- used mainly in spurred cordon vineyards
- it allows the growing of the plant without causing the choking
- extendable

COD.	DESCRIPTION	PACK	вох	PALLET
2202-0219	LEGO BAND 19 CM	500	5000	120000
2202-0226	LEGO BAND 26 CM	500	4000	96000
2202-0239	LEGO BAND 39 CM	200	2000	48000

BAND GUYOT





FEATURES

- indicated for anchoring a plant to a tutor
- used mainly in spurred cordon vineyards
- it allows the growing of the plant without causing the choking
- extendable

COD.	DESCRIPTION	PACK	вох	PALLET
2202-0301	GUYOT BAND 12 CM	1000	8000	192000



BAND W





FEATURES

- indicated for anchoring the shoot to the tutor wire yearly
- used mainly for kiwi systems
- high resistance to weather distress

COD.	DESCRIPTION	PACK	ВОХ	PALLET
2201-0308 \	W22 Hook (cm 6,5 yellow) for diam. 2,0 – 2,2 mm	2000	14000	336000
2201-0307	W30 Hook (cm 6,5 orange) for diam. 2,4 – 3,0 mm	2000	14000	336000
2201-0304 \	<i>W</i> 35 Hook (cm 6,5 black) for diam. 2,5 – 3,5 mm	1000	10000	240000





HOOK B1-B2





FEATURES

- indicated for anchoring the plant stock to the tutor wire
- used in grooves
- it allows the growing of the plant without causing the choking
- recoverable
- pliers available upon request to ease the mounting

DIMENSIONS

Dimensions: 15x150 mmDimensions: 15x188 mm

COD.	DESCRIPTION	PACK	ВОХ	PALLET
2201-0401	Hook B1 for 2,2 - 3,0 MM wire	500	3000	72000
2201-0402	Hook B2 for 2,2 - 3,0 MM wire	500	2000	48000
2201-0403	Gripper for mounting the Hook B2	1	4	-





PVC BAG







FEATURES

- indicated for anchoring the plant stock to the tutor wire
- good resistance to traction and knot
- practical and cheap

COD.	DESCRIPTION	PACK	ВОХ	PALLET
1901-0260	PVC Belt-hanging disposable bag 2,0MM	1 KG	15	600KG
1901-0120	PVC Belt-hanging disposable bag 3,0MM	1 KG	15	600KG
1901-0130	PVC Belt-hanging disposable bag 6,0MM	1 KG	15	600KG
1901-0501	PVC Skein 5,5MM Red	1 KG	15	600KG

POLYESTER WIRE





FEATURES

- minimum elasticity
- it does not conduct electricity
- $\bullet~$ in the laying it must be stretched for about 1,5%
- $\bullet \;$ wide range of elements for the laying on pg. 43
- used in vines and greenhouses

COD.	DESCRIPTION	PACK	вох	PALLET
2101-0201	ARNO-PET 2,2 MM black (180MT/KG)	BOB.	10KG	60
2101-0301	ARNO-PET 2,6 MM black (130MT/KG)	BOB.	10KG	60
2101-0401	ARNO-PET 3,0 MM black (100MT/KG)	BOB.	10KG	60
2101-0701	ARNO-PET 3.5 MM NERO (70MT/KG)	ROR	10KG	60



LIGATEX







- hand and mechanical binder, it does not need battery
- in order to carry out a right binding, 3 movements are necessary
- perfect for year binding of the vines
- the wire get spoiled after a season facilitating the operation of extraction during the pruning
- each spool contains about 1100 bindings
- pliers: Boxed in blister to be hanged
- different spare parts available upon request
- practical, strong and cheap
- made in France
- pliers weight with complete spool: about 500gr

COD.	DESCRIPTION	PACK	вох
2203-0101	PLIERS LIGATEX	1	9
2203-0107	Spare spool (diam. wire 0,44mm/110mt)	24	96
2203-0113	Spare spool (diam. wire 0,47/100mt)	24	96
2203-0113	Spare spool (diam. wire 0,60 / 70mt) PP coated	24	96
2203-0104	PLIERS SPARE KIT	1	1
2203-0106	BLADE SPARE KIT	1	1
2203-0109	PLASTIC TUBE GREEN	1	1
2203-0110	INTERNAL TRASMISSION	1	1
2203-0114	Chassis Ligatex	1	1









HOW TO USE

- Phase 1. Push onward the pliers on the shoot to be bound and let the metallic wire hang on the branch
- Phase 2. Practice a traction backward in order to allow the pliers to braid the metallic wire and at last to cut it
- Phase 3. Lift the pliers in order to come out the branch just bound when the handle is on the last run

SPOOL REPLACEMENT

- remove the finished SPOOL and replace the new one with the hole downward, insert the wire in the elastic wire guide.
- let the wire come out from the wire guide for some centimeters
- let the wire pass through the fixed metal hook
- $\bullet\,$ operate the pliers pushing out the handle on the last run pressing the metallic wire on the iron hook
- allow the wire cut in the right way in order to start working









METAL RING - U METAL





FEATURES

- ideal to fix the net at the start/end of the raws
- practical and economical

COD.	DESCRIPTION	PACK	вох	PALLET
2011-0011	METAL RING Ø 80MM	-	50	-
2006-0037	METAL RING Ø 50MM	-	50	-

U METAL





FEATURES

• indicated for concrete posts

COD.	DESCRIPTION	PACK	вох	PALLET
1805-0306	U-METALLIC M8 FOR POST 8X8 + 2 NUTS	-	30	-
1805-0305	U-METALLIC M8 FOR POST 9X9 + 2 NUTS	-	30	-
1805-0307	ROUND-SHAPED PLATE FOR U-BOLT	-	30	-

CLAMP - CARABINER





FEATURES

• ideal to fix wire or rope

COD.	DESCRIPTION	PACK	вох	PALLET
2011-0006	CLAMP FOR WIRE 6 - 8MM	-	70	-
2011-0005	CLAMP FOR WIRE 4 - 5MM	-	50	-
2011-0010	CARABINER 60MM	-	50	-

COVER - CLAMP



38



FEATURES

• indicates for the protection of metal clamps #8-10


Indicates for the protection of metal clamps #0-10						
COD.	DESCRIPTION	PACK	вох	PALLET		
2011-0012	COVER - CLAMP # 8-10	23 100	500	12000		
1	114					

37


SPARE PARTS AND SCREWS


COD.	DESCRIPTION	PACK
	SCREWS FOR FLAT NET	
2009-0166	SCREW 10X40	10
2008-0009	NUT M10	10
2008-0021	NUT M10X30	10
2003-0011	WASHER 10X40X2,5	10
2006-0014	SPECIAL WASHER 26X30	10
	PLASTIC RING PP	10
1807-0717	PLASTIC TOP PP	10
	PLASTIC CAP PP	10
2008-0016	,	10
2009-0156	SPECIAL SCREW 6X20 (OPTIONAL)	10
2009-0158	,	10
2006-0038	COLLAR 32MM - M10 (OPTIONAL)	32
2009-0182	EXPANSION ANCHOR 6X30 MM (OPTIONAL)	32
2009-0181		32
2003-0120	COLLAR 6X24 MM (OPTIONAL)	32
	SCREWS FOR "CAPANNINA"	
2008-0009	NUT M10	10
2003-0011	WASHER 10X40X2,5	10
2006-0014	SPECIAL WASHER 26X30	10
1807-0720	PLASTIC TOP PP	10
SCR	EWS FOR POST CAP QUBO, PRISMA, ZEPHIRO	
1807-1223	SPECIAL WASHER PA 44X10,5X7	10
2006-0014	SPECIAL WASHER 26X30	10
2009-0154	SCREW 10X35	10
1807-0715	PLASTIC CAP PP (OPTIONAL)	10
SCREWS FOR CP RENO		
2009-0126	SCREWED JOINT 10X100 (STANDARD)	32
2009-0146	SCREWED JOINT10X120 (UPON REQUEST)	32
2009-0174	SPECIAL TAP BOLT (UPON REQUEST)	1

COD.	DESCRIPTION	PACK
	SCREWS FOR POST CAP 14X14	
2003-0011	WASHER 10X40X2,5	10
2006-0014 2009-0154	SPECIAL WASHER 26X30 SCREW 10X35	10 10
		10
1807-0603	CREWS FOR 12CM POST CAP WITH CROSS SCREW M8X80	10
1807-0605	WASHER 12X36	10
2006-0014	SPECIAL WASHER 26X30	10
1807-0602	PLASTIC TAP PP	10
	SCREWS FOR MORSA CLIP	
2009-0159	SCREW 6X24 (FOR MORSA 40-50-100)	500
2009-0143	SCREW 6X30 (FOR MORSA 70-100)	500
	SCREWS FOR CAP SPHERA	
2009-0173	SCREW 4X20 (FOR HEMISPHERE)	40
2009-0143	SCREW 6X30 (FOR SHELL)	40
2008-0009	NUT M10	10
2003-0011	ROUND WASHER 10X40	10
2006-0014	BENT WASHER 26X30X2,5	10
1807-1502S	SPHERA CAP BODY (1 PIECE)	24
	HEMISPHERE FOR TUBE 32 MM	48
1807-1504\$	CLOSING SHELL	24
	SCREWS FOR CAP LATINA	
2009-0175	SCREWS FOR SHELL CLOSURE M8X40	32
2008-0009 2003-0011	NUT M10 ROUND WASHER 10X40	10 10
2003-0011	BENT WASHER 26X30X2,5	10
	LATINA CAP BODY (1 PIECE)	32
	CLOSING SHELL	2
	EWS "GZ" FOR QUBO, ZEPHIRO AND PRISMA	
1807-0715	PLASTIC CAP (PP)	10
1807-1223	SPECIAL METAL WASHER PLASTIC-COATED (PA) 44X10.5X7	10
2006-0014	BENT WASHER 26X30X2,5	10
1807-1225	WASHER 44X10,5X8 (PA)	10
2003-0011	FLAT WASHER 10X40	10
2009-0186	STUD M10X60	10
2008-0009	NUT M10	20




SCREWS FOR FLAT NET





QUBO, PRISMA AND ZEPHIRO SCREWS



SCREWS FOR 12CM POLE-CAP WITH CROSS







KEYIDEA (DAVID FELCI) - Layout and Graphics GIANCARLO IMPARATI - Marketing communication ALESSANDRO SCHINCO - Photographer

Printed on January 2025









ARNO Commerciale s.r.l.

Via G. di Vittorio, 37 50067 Rignano sull'Arno (FI) - ITALY Tel. +39 055 8347031/3 Fax +39 055 8347016 info@arnoplast.it www.arnoplast.it










EXTREME ATTENTION TO DETAILS

1. DETAIL SCREW FOR MORSA CLIP











LEGEND

- 1. Special screw with profile of thread perfect for plastic
- 2. Every detail has been studied and improved in time and with experience in order to simplify the mounting and better the product effectiveness
- 3. The most appropriate additive plastic material is used for each article in order to last out to UV rays and strain.